





		AWebbei	ianing ie	icicass	
46	Path	ogenesis:			
	A War and the second	ells & other cells of mononuclear phagocytic			
1	Replication accompanied by suppression of	f INF-α/β > rapid local & systemic dissemination.  hile free virions released into lymph or bloodstream			
	> systemic dissemination, infecting fixe tissues throughout body.	d tissue macrophages in liver, spleen & other	-		
	endothelial cells in adjacent blood vess Infected macrophages become activated >				
	chemokines (TNF-a: MCP-1; MIP- 1a e Increased permeability of endothelium, leak	etc.). kage of macromolecules; expression of endothelial			
	cell surface adhesion and procoagulant underlying collagen & release of tissue & progressive hepatic failure.	t molecules + tissue destruction > exposure if factor > development of DIC; platelet dysfunction			
	Massive cytolysis, fluid shifts, cytokine effect diffuse obstruction of capillary blood flo	ct, interstitial haemorrhage & tissue ischemia (from w by masses of virions and microthrombi) >			
-	contribute to fatality.				
The second second	・ストルスペシン機では東京を続い	2 · · · · · · · · · · · · · · · · · · ·			
		iagnosis: Huge	_		
1	The Wall	MAVASSER			
	negatives (from meningococci t unusual e.g. <i>Capnocytophaga</i> ),	occal, staphylococcal, typhoid, gram- to bacilli – common e.g. <i>S typhi</i> to . etc.			
	Rickettsial infections: e.g. tick-b	E CONTRACTOR OF THE CONTRACTOR			
	Parasitic infections: e.g. malaria	2			
	Viral infections: fulminant hepat	titis A & B, systemic herpes virus			
	infections, hemorrhagic Varicell	la zoster, hemorrhagic measles, etc.			
1		a, drug sensitivities, anticoagulants, onal medicines, agricultural & industrial			
	Citetilicais	2. 2./ <b>3</b> •			
	Agent: Marburg virus	Properties and Nosocomial			
1	MARBURG – 1967 Germany &	Transmission  •Nosocomial transmission well			
	Yugoslavia exposed to imported African Green Monkeys	documented  •Survives in semen of a convalescent			
	(Cercopithecus aethiops captured in Uganda) – 31 cases, 7 deaths	patient for up to 83 d after disease onset; also isolated from anterior chamber of eye			
1	ZIMBABWE/SOUTH AFRICA 1975 – 3 cases, 1 death; KENYA 1980 - 2 cases/1 death, 1987	of convalescent patient with uveitis 80 days after disease onset  •Viral survival on contaminated surfaces:			
	- 1 case, died; DRC 1998-2000/1 - 141 cases & 82	several days - weeks     Inactivated by gamma irradiation; UV			
	deaths / 123 deaths OR 154 cases & 23 deaths	light; heating @ 60 C for 30 min; bleach; aldehydes; phenolics; QACs; β-			
Secret 1	N ANGOLA (? Oct 2004 – August	propiolactone; lipid solvents, detergents			

















Hosted by Paul Webber paul@webbertraining.com www.webbertraining.com








Hosted by Paul Webber paul@webbertraining.com www.webbertraining.com









Hosted by Paul Webber paul@webbertraining.com www.webbertraining.com





Hosted by Paul Webber paul@webbertraining.com www.webbertraining.com










Hosted by Paul Webber paul@webbertraining.com www.webbertraining.com




Hosted by Paul Webber paul@webbertraining.com www.webbertraining.com



Hosted by Paul Webber paul@webbertraining.com www.webbertraining.com











Multi-part teleclass series on long term care	Special series on CIC exam preparation		
What can you e	expect in A debate		
A world of ideas	On MDRO guidelines		
Live broadcasts from 3 infection control conferences	Month-long series for the novice ICP		
Teleclasses in at least 2 languages other than English	Featured faculty include experts from 4 continents		