



I am older than the president of the United States

there is nothing more social than infectious disease

vaccines only work if we all take them


infectionNet





Hosted by Paul Weber paul@webbertraining.com www.webbertraining.com

Tommy Douglas is still right	we know how bugs are transmitted
(Language infectionNet)	infectionNet
it's the people not the bugs	My friends, watch out for the little fellow with an idea
(a) infectionNet	infectionNet
N. P.A.	principles are everything
(Language infectionNet)	(a) infectionNet


Hosted by Paul Weber paul@webbertraining.com www.webbertraining.com















Hosted by Paul Weber paul@webbertraining.com www.webbertraining.com

if everyone had their own toilet we would see little <i>C. difficile</i> simple	if everyone had their own toilet we would see little anything simple
(a) infectionNet	infectionNet
Simple is better	The people not the bugs
 We need less messages We need simpler messages The public needs to understand The workers need to understand The patients need to understand The doctors need to understand 	 Bug specific policy and practice is complicated Complicated things are very difficult to explain
infectionNet	infectionNet
simple precautions every time simple	simple precautions every time. simple
infectionNet	infection Net



Simple Precautions™

A safety inspired system of infection control practices based on people and processes, not microorganisms. Use of scarce private rooms is based on patient condition, not microorganism. A large focus is placed on the processes of care with an emphasis on universality.



All the time

- Concentration on "the basics" in all areas
- · Simplify the decisions
- · Clean and Safe



Simple Precautions


- Based on "Routine Practices" or "Standard Precautions"
- · Focus on re-education
- · Easy to understand
- Sensible
- Simple



Simple triage


- Known tuberculosis or chicken pox (airborne)
- · Tuberculosis suspected (airborne)
- Febrile neutropenia
- · Large burns
- Large wound(s)
- · Large rash esp. if febrile
- Diarrhea
- · Uncontrolled respiratory secretions
- · Known MRSA with none of the above






Routine Practices States	
Hand Washing/Hand Antisepsis Hands must be washed(231,249) after any direct contact with a patient, before contact with the next patient. — special considerations: The need for hand washing after casual contact unrelated to patient care should be judged on an individual basis • before any contact with immuno-compromised or ICU patients • before any contact with immuno-compromised or ICU patients • before performing invasive procedures • after contact with blood, body fluids, secretions and excretions and exudates from wounds • after contact with items known or considered likely to be contaminated with blood, body fluids, secretions, or excretions (e.g. bedpans, urinals, wound dressings) immediately after removing gloves(268) • between certain procedures on the same patient where soiling of hands is likely, to avoid cross-contamination of body sites(258,277) • before preparing, handling, serving or eating food and before feeding a patient when hands are visibly soiled • after personal use of toilet or wiping nose.	before all care. wash. simple
infectionNet	(Language infectionNet)
soap. water.	clean. safe.
simple	simple
infectionNet	infectionNet
wash your hands. all your friends are.	simple precautions prevent infections.
simple	simple
(a) infectionNet	infectionNet

simple precautions every time. simple	help make the hospital neat as a pin. simple
(a) infectionNet	(a) infectionNet
clean safe bathrooms. clean. simple	everybody can help. clean. simple
(a) infectionNet	infectionNet
fight infections. wash your hands. simple	Bare below the elbows An excellent way to symbolize change toward simplicity and universality Visible means of workers demonstrating buy in A start toward institution laundered uniforms
infectionNet	(a) infectionNet










jewellery off? clean.
simple



Hosted by Paul Weber paul@webbertraining.com www.webbertraining.com


Specific messaging • Strategically placed • Rotated • Repetitive gloves off before leaving room? clean. simple infectionNet

blood pressure cuff wiped? clean.
simple

stethoscope wiped? clean.
simple

infectionNet






Hosted by Paul Weber paul@webbertraining.com www.webbertraining.com

sharps container full? safe. simple	new mop head? clean. simple
infectionNet	(a) infectionNet
antibiotic on time? safe.	suctioning? goggles on? safe.
simple	simple
(a) infectionNet	(Language of the control of the cont
no touch technique? clean. simple	high touch surfaces wiped? clean. simple
infectionNet	(Language of the control of the cont

ultrasound gel bottles dated? safe. simple	head of bed up? safe. simple
disinfectant potency checked? safe.	scope channels flushed? clean.
simple	simple
infectionNet	(a) infectionNet
sick? shouldn't visit.	
simple	
infectionNet	infectionNet

Hosted by Paul Weber paul@webbertraining.com www.webbertraining.com






one bum. one toilet. the law.
simple

infectionNet



Canadians can't afford not to provide a toilet for their sickest citizens simple



Hosted by Paul Weber paul@webbertraining.com www.webbertraining.com



